

## PUBLICATIONS of Dr. Bruce Case

(Google Scholar): <https://scholar.google.com/citations?user=e5k0QagAAAAJ&hl=en&oi=ao>  
(ORCID): [Bruce Case \(0000-0003-1625-9482\) \(orcid.org\)](https://orcid.org/Bruce%20Case%20(0000-0003-1625-9482))

## I: Principal Publications

1. Ramsay, J.O. and Case, B.W. (1970). Attitude measurement and the linear model. *Psychological Bulletin* 74:185-192.
2. Donderi, D., Case, B.W., Rossoff, L., and Willis, J. (1970). Change in visual memory following discrimination learning. *Can J Psychol* 24:401-416.
3. Donderi, D., and Case, B.W. (1970). Parallel visual processing: Constant same-different decision latency with two to fourteen shapes. *Perception and Psychophysics* 8:373-375.
4. Danoff, D., Munk, Z., Case, B.W., Finlayson, M., and Gold, Phil. (1978). Disseminated coccidioidomycosis: clinical, immunologic and therapeutic aspects. *Can Med Assoc J* 118:390-392.
5. Michel, R., Case, B.W., and Moinuddin, M. (1979). Immunoblastic sarcoma: A light, immunofluorescence and TEM study. *Cancer* 43:224-236.
6. Case, B.W., and Benaroya S. (1980). Diagnostic challenge: Dyspnea in a pregnant young woman (lymphoblastic lymphoma). *Can Med Assoc J* 122:890-896.
7. Marin L., Gordon, R., Case, B.W., Kleinerman, J. (1982). Ultrastructure of hamster bronchiolar epithelium in freeze fracture replicas. *Lung* 160:257-266.
8. Case, B.W., Gordon R.E., Kleinerman, J. (1982). Acute bronchiolar injury following nitrogen dioxide exposure: A freeze-fracture study. *Environmental Research* 29:399-413.
9. Gordon, R.E., Case, B.W., Kleinerman, J. (1983). Acute NO<sub>2</sub> effects on penetration and transport of horseradish peroxidase in hamster respiratory epithelium. *Am Rev Respir Dis* 128:528-533.
10. Case, B.W., Ip, M.P.C., Padilla, M., Kleinerman, J. (1986). Asbestos effects on superoxide production: An *in vitro* study of hamster alveolar macrophages. *Environmental Research* 39:299-306.
11. Sébastien, P., Bégin, R., Case, B.W., and McDonald, J.C. (1986). Inhalation of chrysotile dust. In: Wagner J.C., ed. *Accomplishments in Oncology* 1(2):19-29. Lippincott, Philadelphia.
12. Case, B.W. and Sébastien, P. (1987). Environmental and occupational exposures to chrysotile asbestos: A comparative microanalytic study. *Arch Env Health* 42:185-191.

13. Sébastien, P., Armstrong, B., Case, B.W., Barwick, H., Keskula, H. and McDonald, J. C. (1988). Estimation of amphibole exposure from asbestos body and macrophage counts in sputum: a survey in vermiculite miners. *Ann Occup Hyg* 32:195-201.
14. Case, B.W., Sébastien, P., McDonald, J.C. (1988). Lung Fiber Analysis in Accident Victims: A biological assessment of general environmental exposure. *Archives of Environmental Health*, 43:178-179.
15. Case, B.W., and Sébastien, P. (1988). Biological estimation of environmental and occupational exposure to asbestos. *Ann Occup Hyg* 32:181-186.
16. Sébastien, P., Green, F., Case, B.W. et al. (1988). Asbestos fibers in lung tissue from chrysotile production and textile workers. Preliminary Report. *Ann Occup Hyg* 32:1185-1186.
17. Deguire, L., Theriault, G., Provencher, S., Iturra, H., Cyr, D., Case, B.W. (1988). Increased incidence of malignant melanoma of the skin in workers in a telecommunications industry. *Brit J Ind Med*:45:824-828.
18. Sébastien P., McDonald J.C., McDonald A.D., Case B.W., Harley R. (1989). Respiratory Cancer in chrysotile textile and mining industries: exposure influences from lung analysis. *Brit J Ind Med* 46:180-187.
19. McDonald, J.C., Armstrong, B., Case, B.W., Doell, D., McCaughey, W.T.E., McDonald, A.D. and Sébastien P. (1989). Mesothelioma and Asbestos Fiber Type: Evidence from Lung Tissue Analyses. *Cancer* 63:1544-1547.
20. De Guire L, Armstrong B, Case B, Cyr D. (1989). Peut-on utiliser le Fichier des Tumeurs du Québec pour identifier les risques de cancer professionnel? (Could the Quebec Tumor Registry be used to identify professional cancer risks?). *L'Union Médicale du Canada* 118:65-71. In French with English Title and Summary. [\[Could the Quebec Tumor Registry be used to identify risks of occupational cancers?\] - PubMed \(nih.gov\)](#) PubMed abstract accessed on April 4<sup>th</sup> of 2024.
21. McDonald, J.C., Sébastien, P., McDonald, A.D., Case, B.W. (1989). Epidemiological observations on mesothelioma and their implications for non-occupational exposure. *IARC Sci. Publ.* 90:420-427.
22. Case, B.W., and Sébastien, P. (1989). Fibre levels in lung and correlation with air samples. *IARC Sci. Publ.* 90:207-218.
23. Case, Bruce W. (1990) Approaching environmental medicine. *Pennsylvania Medicine* 93:52-55.
24. Weill HW, Abraham J, Balmes J, Case BW, Churg AM, Hughes J, Schenker M, Sébastien P. (1990). Health Effects of Tremolite. (Official Statement of the American Thoracic Society) in: *Am Rev Respir Dis*, (1990) 142:1453-1458.
25. Case, Bruce W. (1991). Health effects of tremolite: now and in the future. *Annals New York Acad. Sci.*

- 643:491-504.
26. Case, B.W. (1991). On talc, tremolite, and tergiversation. *Ter-gi-ver-sate: 2: to use subterfuges.* Br J Ind Med 48(5):357-9
  27. McDonald, J.C., Case, Bruce W., Enterline, Philip E., Henderson, Vivian, McDonald, A.D., Plourde, Marie, Sébastien, Patrick. Lung dust analysis in the assessment of past exposure of man-made mineral fiber workers. (1990) Ann. Occup. Hyg. 34(5):427-441.
  28. McDonald JC, Sébastien P, Case BW, McDonald AD, Dufresne A. (1992). Ferruginous body counts in sputum as an index of past exposure to mineral fibres. Ann Occup Hyg 36(3):271-282.
  29. Day R, Talbott EO, Marsh G, Case BW. (1992) A comparative ecological study of selected cancers in Kanawha County, WV. Am J Indust Med 21:235-251.
  30. Talbott EO, Day RD, Marsh GM, Haile-Cattledge G, McKenna M, and Case BW. 1992. Trends in Cancer Mortality in Kanawha County, West Virginia, 1950-1984. *The Science of the Total Environment* (1992). 127:139-154.
  31. DeGuire, L., Theriault, G., Provencher, S., Iturra, H., Cyr, D., Case, B.W. (1992). Malignant melanoma of the skin among workers in a telecommunications industry: mortality study 1976-83. Br J Ind Med Oct;49(10):728-31
  32. Case BW (*rappoiteur*), Rossiter C, Saux M, Browne K, Huuskonen M, Takahashi K, and Kawanami M. (1993) Biological indicators and their clinical significance in persons exposed to mineral fibres: workshop #2 Brit J Indust Med 50:414-417
  33. Case BW. (1994) Biological Indicators of Chrysotile Exposure. Annals Occup Hygiene 38(4):503-518.
  34. Takahashi K, Case BW, Dufresne A, Fraser R, Higashi T, Siemiatycki J. (1994) Relation between lung asbestos fibre burden and exposure indices based on job history. Occupational and Environmental Medicine (formerly Brit J Indust Med), 51(7):461-469.
  35. Dufresne, A. Krier, G., Muller, J.F., Case, B., Perrault G. (1994) Lanthanide particles in the lung of a printer. *The Science of the Total Environment* 151:249-252.
  36. Case BW, Kuhar M, Harrigan M, Dufresne A. (1994) Lung fiber content of American children aged 8-15 years: preliminary findings. Ann Occup Hyg. 38(S1):639-645.
  37. Dufresne A, Case BW, Fraser R. and Perrault G. (1994) Protocol of lung particulate analysis by transmission electron microscopy for decoding occupational history from lung retention. Ann Occup Hyg 38(S1):503-517.

38. Case, B.W., Dufresne, A., Fraser, R., Siemiatycki, J., Perrault, G. and Takahashi, K. (1994) Decoding occupational history from total lung particulate analysis: concordance between physico-chemical analysis and occupational histories. *Ann occup Hyg* 38(S1):469-482.
39. Becklake, M.R. and Case, B.W. (1994) Fiber burden and asbestos related lung disease - determinants of dose - response relationships. *American Journal of Respiratory & Critical Care Medicine.* 150(6):1488-1492.
40. Case, BW, Dufresne, A, Richardson, L, Siemiatycki J, and Takahashi K. (1995). Lung retained dose following occupational exposure to silica. *Appl Occup Environ Hyg* 10(12):1031-1036.
41. Bouchelet I., Cohen Z., Case B., Séguéla P. and Hamel E. (1996) Differential expression of sumatriptan-sensitive 5-hydroxy-tryptamine receptors in human trigeminal ganglia and cerebral blood vessels. *Molecular Pharmacology* 50:219-223(1996).
42. Barrett JC, Bernstein DM, Bignon J, Case B et al. (1996) (28 authors). Consensus Statement. In: Kane AB, Boffetta P, Saracci R and Wilbourn JD, eds. *Mechanisms of Fibre Carcinogenesis*. IARC Scientific Publications 140: 1-9. International Agency for Research on Cancer/ World Health Organization. Lyon. *Review by K.A. Bérubé at [\(15\) \(PDF\) Mechanisms of fibre carcinogenesis: IARC Scientific Publications No 140 \(researchgate.net\)](#)* accessed April 4<sup>th</sup>, 2024.
43. Bruce W. Case, Andrew Churg, André Dufresne, Patrick Sébastien, Alison McDonald and J.C. McDonald. (1997). Lung Fibre Content for Mesothelioma in the 1891-1920 Birth Cohort of Quebec Chrysotile Workers: A Descriptive Study. *Annals of Occupational Hygiene*, 41:231-236
44. McDonald AD, Case BW, Churg A, Dufresne A, Gibbs GW, Sébastien P, McDonald JC. (1997) Mesothelioma in Quebec chrysotile miners and millers: epidemiology and aetiology. *Annals of Occupational Hygiene* 41(6):707-719.
45. Case BW, Dufresne A. (1997) Asbestos, asbestosis and lung cancer: Observations in Québec chrysotile workers. *Environ Health Perspect* 105:1113-1119.
46. Case, Bruce W. (1997) Epidemiology. In: Report of 4th International Mesothelioma Interest Group meeting: Philadelphia, USA, May 13 to 15, 1997.
47. Case BW, Dufresne A, McDonald AD, McDonald JC, and Sébastien P. (2000) Asbestos Fiber Type and Length in Lungs of Chrysotile Textile and Production Workers: Fibers Longer Than 18um. *Inhalation Toxicology* 12(9) (supplement 3), pages 411-418.  
<https://pubmed.ncbi.nlm.nih.gov/26368643/> accessed June 6<sup>th</sup>, 2020.
48. Bouchelet I, Case B, Olivier A, Hamel E. (2000). No contractile effect for 5-HT1D and 5-HT1F receptor agonists in human and bovine cerebral arteries: similarity with human coronary

- artery. Br J Pharmacol 129:501-508.
49. Nayebzadeh A, Dufresne A, Case B, Vali H, Williams-Jones AE, Martin R, Normand C, Clark J. (2001) Lung mineral fibers of former miners and millers from Thetford-Mines and asbestos regions: a comparative study of fiber concentration and dimension. Arch Environ Health 56:65-76.
50. BW Case, A Dufresne, E Bagatin, and VL Capelozzi (2002). Lung-Retained Fibre Content in Brazilian Chrysotile Workers. Ann. Occup. Hyg. Vol. 46, Supplement 1, pp. 144-149.
51. Hull MH, Abraham JL. Case BW (2002). Mesothelioma among Workers and in the Vicinity of Asbestiform Fiber-Bearing Talc Mines in New York State. Ann. Occup. Hyg. Vol. 46, Supplement 1, pp. 132–135.
52. BW Case, M Camus, L Richardson, M-É Parent, M Désy, and J Siemiatycki (2002). Preliminary findings for pleural mesothelioma among women in the Québec chrysotile mining regions. Ann. Occup. Hyg. Vol. 46, Supplement 1, pp. 128-131. Accessed June 6<sup>th</sup>, 2020.
53. M Camus, J Siemiatycki, BW Case, M Désy, L Richardson, and S Campbell (2002). Risk of mesothelioma among women living near chrysotile mines vs. U.S. E.P.A. asbestos risk model – Preliminary findings. Ann. Occup. Hyg. Vol. 46, Supplement 1, pp. 95-98.
54. Nayebzadeh A, Case BW, Massé J, Dufresne A. Mineralogical and exposure determinants of pulmonary fibrosis among Québec chrysotile miners and millers. (2006) International Archives of Occupational and Environmental Health, Vol. 79, pp. 227-36.
55. Djemli A, Khetani A, Case BW, Auger M. Correlation of cytotechnologists' parameters with their performance in rapid prescreening of papanicolaou smears. (2006) Cancer Cytopathology **108**(5): 306-310.
56. Case BW. Asbestos exposure and disease (2006). Japanese Journal of Occupational Medicine and Traumatology. **54(S10)**, 51-55.
57. Case BW. Asbestos, smoking, and lung cancer: interaction and attribution. Occup Environ Med. 2006 Aug; 63(8):507-8. PubMed PMID: 16849526; PubMed Central PMCID: PMC2078131.
58. Pintos J, Parent ME, Rousseau MC, Case BW, Siemiatycki J. (2008) Occupational Exposure to Asbestos and Man-Made Vitreous Fibers, and Risk of Lung Cancer: Evidence from Two Case-Control Studies in Montreal, Canada. J Occup Environ Med 50:1273-1281.
59. Case BW, McDonald C. Chrysotile, tremolite, balangeroite and mesothelioma: similar situations? Occup Environ Med Online 2008; 65(12) Eletter Published 20 June 2008.

<http://oem.bmj.com/content/65/12/815/reply> accessed April 4, 2015; Copy archived at bwcase.tripod.com/case2008.pdf accessed April 5, 2015.

60. Roggli VL, Sporn TA, Case BW, Butnor KJ. (2009) Commentary on *Commentary on Asbestos Fibre Concentrations in the Lungs of Brake Workers: Another Look*. Ann Occup Hyg. 53:191.
61. Case BW and Abraham JL. (2009). Heterogeneity of exposure and attribution of mesothelioma: Trends and Strategies in Two American Counties. J. Phys.: Conf. Ser. **151** 012008 1-15; IOP Publishing. (Open Access: Published online: 13 March 2009; <http://iopscience.iop.org/article/10.1088/1742-6596/151/1/012008/pdf> accessed June 6th, 2020.
62. Pintos J, Parent ME, Case BW, Rousseau MC, Siemiatycki J. Risk of mesothelioma and occupational exposure to asbestos and man-made vitreous fibers: evidence from two case-control studies in Montreal, Canada. J Occup Environ Med. 2009 Oct; 51(10):1177-84. doi: 10.1097/JOM.0b013e3181b68cef. PubMed PMID: 19749604.
63. Brimo F, Vollmer RT, Kassouf W, Case B, Aprikian A, Kassouf W, Auger M. Accuracy of urine cytology and the significance of an atypical category. Am J Clin Pathol. 2009; 132:785-793.
64. Case, B. W. , Abraham, J. L. , Meeker, G. , Pooley, F. D. and Pinkerton, K. E.(2011) 'Applying Definitions of "Asbestos" to Environmental and "Low-Dose" Exposure Levels and Health Effects, Particularly Malignant Mesothelioma', Journal of Toxicology and Environmental Health, Part B, 14: 1, 3-39.  
<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3118487/pdf/uteb14-3.pdf> accessed June 6th, 2020
65. Labrèche F, Case Bruce W, Ostiguy G, Chalaoui J, Camus M, Siemiatycki J. (2012) Pleural mesothelioma surveillance: Validity of cases from a tumour registry. Canadian Respiratory Journal 19(2):103-107.
66. Berman DW and Case BW. (2012) Overreliance on a Single Study: There is no real evidence that applying quality criteria to exposure in asbestos epidemiology affects the estimated risk. Ann Occup Hyg 56(8): 869-878 <http://annhyg.oxfordjournals.org/content/56/8/869> accessed August 3<sup>rd</sup> of 2022.
67. Berman DW, Case BW. Comment on: Quality of evidence must guide risk assessment of asbestos, by Lengers, V; Burdorf, A; Vermeulen, R; Stayner, L; Heederik, D. Ann Occup Hyg. 2013 Jun; 57(5):667-9. <https://academic.oup.com/annweh/article-abstract/57/5/667/212690/Quality-of-Evidence-Must-Guide-Risk-Assessment-of?redirectedFrom=fulltext> accessed August 3<sup>rd</sup> of 2022.

68. Case BW (2016): Epidemiology of Malignant Pleural Mesothelioma in the Americas. In: Malignant Pleural Mesothelioma: Present Status and Future Directions. Tommaso Claudio Mineo, editor. Bentham Science Publishers, pages 53-72.  
<http://www.eurekaselect.com/139052/chapter/epidemiology-of-malignant-pleural-mesothelioma-in-the-america> accessed August 3<sup>rd</sup> of 2022.
69. Case BW (2016) Pathology analysis for mesothelioma study in the United Kingdom: Current practice and historical development, **Journal of Toxicology and Environmental Health, Part B**, 19:5-6, 201-212. <https://www.ncbi.nlm.nih.gov/pubmed/27705547> (accessed August 3<sup>rd</sup> of 2022)
70. Case BW and Marinaccio A (2017). Epidemiological approaches to health effects of mineral fibres: Development of knowledge and current practice. European Mineralogical Union Notes in Mineralogy **18**: 367-416. (In Gualtieri, AF, ed. **Mineral fibres: crystal chemistry, chemical-physical properties, biological interaction and toxicity**. European Mineralogical Union and the Mineralogical Society of Great Britain & Ireland. London, 2017). Available for download at <https://pubs.geoscienceworld.org/books/book/2027/chapter/107736197/epidemiological-approaches-to-health-effects-of> (accessed June 6th, 2020).
71. Case BW. (2018) Does qualitative examination of Elongated Mineral Particles (EMP) recovered from human and animal lungs provide reliable information on their carcinogenic and other effects? *Toxicology and Applied Pharmacology* 361:155-156.  
<https://doi.org/10.1016/J.TAAP.2018.05.017> (accessed August 3<sup>rd</sup> of 2022)
72. Graham, U.M., Oberdorster, G., Case, B., and Dozier A. (2018) A case study of the translocation, bioprocessing and tissue interactions of EMP following inhalation exposure. *Toxicol Appl Pharmacol.* 361: 81-88. <https://doi.org/10.1016/j.taap.2018.07.002> (accessed August 3<sup>rd</sup> of 2022)
73. Goodman, J. E., Becich, M. J., Bernstein, D. M., Case, B. W., Mandel, J. H., Nel, A. E., Nolan, R., Odo, N. U., Smith, S. R., Taioli, E., & Gibbs, G. (2023). Non-asbestiform elongate mineral particles and mesothelioma risk: Human and experimental evidence. *Environmental research*, 230, 114578. <https://doi.org/10.1016/j.envres.2022.114578> (accessed November 14th of 2023).
74. Case BW. *Health outcomes of asbestos exposure – A pathology and diagnostic perspective.* (2024) In: Korchevskiy, A., J. Rasmuson and E. Rasmuson (2024). Health Risk Assessment for Asbestos and Other Fibrous Minerals, Wiley. 1<sup>st</sup> edition, ISBN-13 978-1119438434.

## II. REVIEWS, BOOKS AND BOOK CHAPTERS

1. Michel, R.P., Case, B., and Moinuddin, M. (1980) Immunoblastic lymphosarcoma: a light, immuno-fluorescence and electron microscopic study. In: Clark, R.L., Cumley, R.W., and Hickey, R.C., Year Book of Cancer 1980. Year Book Med Publ, Chicago. p. 155-158
2. Case, Bruce W. (1986) (Review of) "ASBESTOS: MEDICAL AND LEGAL ASPECTS. By Barry I. Castleman, with a contribution by S. L. Berger, Harcourt Brace Jovanovich, New York, 1984, (first edition) 593 pp. 'Book reviews', Journal of Toxicology and Environmental Health, Part A, 17: 2, 325 — 326.
3. Case, B.W. (1988). Mineral fibers and cancer: suggested mechanisms. Kuiper Goodman, T., (editor) Twentieth Annual Symposium: 47-65. Soc Toxicol Canada.
4. Case Bruce W. Annual Report of the Center for Environmental Epidemiology. In: EPA Office of Exploratory Research (ed.), Environmental Research Centers Program: Annual Report FY 1989. United States Environmental Protection Agency, Research and Development Publication 20R-1002, Washington, 1990, pp. 34-47.
5. Case Bruce W. Annual Report of the Center for Environmental Epidemiology. In: EPA Office of Exploratory Research (ed.), Environmental Research Centers Program: Annual Report FY 1990. United States Environmental Protection Agency, RD-675, Washington, 1991.
6. Risk Assessment in Pathology Education. Case, Bruce W. and Mattison, Donald R. (1991). In: Environmental and occupational disease: A state-of-the-art conference for pathology educators Craighead, John E. Universities Associated for Research and Education in Pathology (UAREP). Bethesda, Md. 90 pages.
7. Case BW. Invited Comments (re: the possible relation between water chlorination and bladder cancer). In: The Science of the Total Environment (1992). 127:128-129.
8. Case, B.W. (1993) Lung fibre content as a marker of low-level asbestos exposure. In: Gibbs, G., Dunnigan J., Kido, M. and Higashi T., Eds. **Health Risks from Exposure to Mineral Fibres: An International Perspective**. Captus University Press, North York, Ontario, pp. 326-333.
9. Case BW (*rappoiteur*), Rossiter CE, Saux M., Browne K, Huuskonen M, Takahashi K, and Kawanami M. (1993) Biological indicators and their clinical significance in persons exposed to mineral fibres. A report on the workshop. Workshop 2. In: Gibbs, G., Dunnigan J., Kido, M. and Higashi T., Eds. **Health Risks from Exposure to Mineral Fibres: An International Perspective**. Captus University Press, North York, Ontario, pp. 368-373.

10. Case, Bruce. (1995). Assessment of exposure. McDonald, J. C. [Editor], Epidemiology of work related diseases, 353-386. BMJ Publishing Group, London.
11. Case BW. Assessment of Exposure. In: McDonald JC ed. **Epidemiology of Work-Related Diseases**. BMJ Publishing Group, London, 2000, (2<sup>nd</sup> edition).
12. Case BW, Peto J. (1999) Epidemiology. In: Report of 5th International Mesothelioma Interest Group meeting: Stoke Rochford, UK, October 5 to October 8, 1999.
- 12) Louise De Guire L, Camus M, Case B, Langlois A, Laplante O, Lebel G, Lévesque B, Siemiatycki J. (2003) Épidémiologie des maladies reliées à l'exposition à l'amiante au Québec. Institut national de santé publique du Québec. Quebec, QC; Canada. 64 pages + annexes. ISBN: 2-550-41560-4.
- 13) De Guire L and Blais P. (translation and proofreading only by Nancy Dunham and Bruce Case, respectively). (2004) Summary and Recommendation of the Reports: Asbestos Fibres in Indoor and Outdoor Air **and** The Epidemiology of Asbestos Related Diseases in Quebec. Institut National de Santé Publique du Québec; INSPQ-2004-032; ISBN 2-250-41880-8.
- 14) DeGuire L, Case B, Camus M et al. (July 2004) / Institut National de Santé Publique du Québec. The Epidemiology of Asbestos-Related Diseases in Quebec. Institut National de Santé Publique du Québec; INSPQ-2004-033; ISBN 2-550-42946-X. 73 pages.
- 15) Case BW. *From cotton-stone to the New York Conference*. In: Craighead J. and Gibbs AR (Eds). **Asbestos and its Diseases**. Oxford University Press. New York (2008) USA. ISBN13: 9780195178692; ISBN10: 0195178696. pp 3-22.
- 16) Labrèche F (auteure), avec Ostiguy G, Case BW, Chalaoui J, Siemiatycki J, Camus M. (2011) Validation du processus diagnostique du mésothéliome de la plèvre: Québec, 2001-2002. Institut National de Santé Publique du Québec; Direction des risques biologiques et de la santé au travail. Québec, Québec. ISBN : 978-2-550-61129-5 (VERSION IMPRIMÉE); ISBN : 978-2-550-61130-1. ©Gouvernement du Québec.
- 17) Case BW (2016) Epidemiology of Malignant Pleural Mesothelioma in the Americas. In: Mineo, Tommaso Claudio, editor: *Malignant Pleural Mesothelioma: Present Status And Future Directions*. Bentham Science Publishers.
- 18) Wyllie AG, Andreozzi GB, Bailey MT, Bandli B, Case BW, Della Ventura D, Glossop L, Gualtieri AF, Gunter M, Halterman D, Heaney P, Leocat E, Mossman BT (2022). *Final report of the IMA WORKING GROUP* on “Asbestos, asbestiform minerals, and other respirable minerals that pose potential negative health risks”: Proposed definitions of “asbestos” and related terms. Meeting presentation by Dr. Gualtieri, International Mineralogical Association, Lyon, 2022.

### III. ABSTRACTS

1. Case, B.W., Madarnas, P., Longpré, B. (1979). Diffuse "histiocytic" lymphoma: Prognostic implications of histologic subclassification. *Can Congress Lab Med* 1:7.
2. Case, B.W., Marin, M.L., Gordon, R.E., Kleinerman, J. (1981). Changes in epithelial junctions of distal airways in hamsters following acute nitrogen dioxide exposure. *Federation Proceedings*. 40(3 PART 2). 1981. 828.
3. Case, B.W., Ip, M.P.C., Padilla, M., Kleinerman, J. (1982). In vitro and in vivo effects of asbestos on superoxide anion production by hamster alveolar macrophages and polymorphonuclear leukocytes. *Am Rev Respir Dis* 125(4 PART 2):57.
4. Case, B.W., Ip, M.P.C., Padilla, M., Kleinerman, J. (1982A). Les effets de l'amiante sur la production de l'ion superoxyde par les macrophages alvéolaires et les leukocytes polymorphonucléaires. *L'Union Med Can* 111:S39.
5. Gordon RE, Case BW & Kleinerman J. (1983). Acute Nitrogen Dioxide Effects On Penetration And Transport Of Horseradish Peroxidase In Hamster Respiratory Epithelium. *American Review of Respiratory Disease*, 128(3), 528-533.  
<https://www.atsjournals.org/doi/10.1164/arrd.1983.128.3.528> Abstract accessed Nov. 29<sup>th</sup> of 2023.
6. Case BW & Kleinerman J. (1983). Effects of Asbestos Fiber In Parietal Pleura. *American Review of Respiratory Disease*, 127(4 PART 2), 169. Available at: [Effects of asbestos fiber in parietal pleura \(eurekamag.com\)](http://eurekamag.com) on Nov. 29, 2023.
7. Case, B.W. and Sébastien, P. (1985) Biological estimation of environmental exposure to asbestos. *American Review of Respiratory Disease* 131(4 SUPPL): A187.
8. Case, B.W. and Sébastien, P. (1985). Biological estimation of environmental and occupational exposure to asbestos. In: *Sixth International Symposium on Inhaled Particles*. Brit Occ Hyg Soc, Cambridge, U.K., pp. 77-78.
9. Sébastien, P., Armstrong, B., Case, B.W. et al. (1985). Estimation of amphibole exposure from asbestos body and macrophage counts in sputum: a survey of vermiculite miners. In: *Sixth International Symposium on Inhaled Particles*. Brit Occ Hyg Soc, Cambridge, U.K., pp. 94-95
10. Sébastien, P., Green, F., Case, B.W., Harley, R., McDonald, A.D., and McDonald, J.C. (1985). Tremolite and chrysotile fibers in human lung. In: *Sixth International Symposium on Inhaled Particles*. Brit Occ Hyg Soc, Cambridge, U.K., p.168.

11. Case, B.W., Volkens, K., Wang, N.S. (1987). Asbestos bodies in paraffin sections vs. other exposure indices. *American Review of Respiratory Disease*, 135(4 PART 2), A451.
  12. Case, B.W. and Sébastien, P. (1988). Microanalytic classification of environmental exposures in a chrysotile mining region. *Amer Rev Respir Dis* 137(4 PART 2): 94 (Presented at the Joint Annual Meeting of the American Lung Association and The American Thoracic Society, Las Vegas, Nevada, USA, May 8-11, 1988).
  13. Case, B.W., and Sébastien, P. (1988). Neighborhood and domestic exposure to tremolite produces increased intrapulmonary fiber levels. *Proceedings of the Fiftieth American Industrial Hygiene Conference*, San Francisco, May 1988, p. 134.
  14. Case, Bruce W., Armstrong, B., McDonald J.C. and Sébastien, P. (1990). Mesothelioma in the Québec chrysotile mining region. *Archives of Environmental Health* 45:310.
  15. Case, B.W., McCaughey, W.T.E., Harrigan, M., Sébastien P. Exposure misclassification for mesothelioma in a chrysotile mining district. (1990) (April) *Am Rev Respir Dis* 141(4 PART 2), A242.
  16. De Guire, L., Cyr, D., Thériault, G., Armstrong B., Iturra H., Provencher, S. and Case B. Malignant melanoma of the skin among workers of a large electrical and electronics products industry: 1976-1983. A mortality Study. 23rd Occupational Health Symposium, September 1990.
- (17) Case BW, Monaghan LA, Giguère M. (1991) Sputum asbestos bodies in female residents of two chrysotile mining towns. *Am Rev Respir Dis*. April 1991.
- (18) Case BW, Kuhar M, Harrigan M, Dufresne A. (1991) Lung fiber content of American children aged 8-15: preliminary findings. *Brit. Occ. Hyg. Soc.; Seventh International Symposium on Inhaled Particles*, September 1991, S7.8.
- (19) Dufresne A, Perreault G, Case BW. Decoding occupational history from total lung particulate matter analysis. I: A new comprehensive methodology. *Brit. Occ. Hyg. Soc.; Seventh International Symposium on Inhaled Particles*, September 1991, P3.5.
- (20) Case BW, Dufresne A, Siemiatycki J, Fraser R, Richardson L, Perreault G. Decoding occupational history from total lung particulate matter analysis. II: A comparative study. *Brit. Occ. Hyg. Soc.; Seventh International Symposium on Inhaled Particles*, September 1991, S4.5.
- (21) Case BW. (1991) Looking for trouble: A clinical perspective for focus in environmental epidemiology in the 1990s. *Archives of Environmental Health* 46(2):118.

- (22) Ishii E, Talbott E, Case BW. (1991) Is it possible to assess the health effects of electromagnetic radiation? *Archives of Environmental Health*. 46(2): 124.
- (23) Day R, Talbott EO, Marsh GM, Case BW. (1991) Methodological aspects of a comparative ecological study of West Virginia USA counties involved in the chemical industry. *Arch Environ Health* 46(3):179.
- (24) Parry C, Eaton J, Case BW. (1991) Lead poisoning from widely used traditional teapots from third world countries. *Archives of Environmental Health*. 46(3):188. (SECOND ANNUAL MEETING OF THE INTERNATIONAL SOCIETY FOR ENVIRONMENTAL EPIDEMIOLOGY, PART II, BERKELEY, CALIFORNIA, USA, AUGUST 13-15, 1990).
- (25) Case BW. (1991) Lung fibre analysis as an internal dose marker of low-level exposure. In: Valleron AJ and Bignon J organizers; *Low exposure to natural and man-made fibres and the risk of cancer: Towards a collaborative European Epidemiology*.
- (26) Case, BW and Oliver, LC. (1992) Asbestos bodies are absent from sputum of school custodial workers. Amer Rev Respir Dis 145 (4 PART 2). A332. (1992 INTERNATIONAL CONFERENCE OF THE AMERICAN LUNG ASSOCIATION AND THE AMERICAN THORACIC SOCIETY, MIAMI BEACH, FLORIDA, USA, MAY 17-20, 1992. AM REV RESPIR DIS.)
- (27) Case BW, Kuhar M, Harrigan M and Dufresne A. (1992). Lung fibre content in children. IARC Workshop on the biopersisitence of synthetic fibres and minerals. Lyon (IARC)
- (28) Case BW. Asbestos: an autopsy series, and epidemiology. (1993) Can Congress Lab Medicine 44(1): 87.
- (29) Dufresne, André, Krier, Gaby, Muller, Jean-François, Case, B.W., and Perrault, Guy. Measurement by TEM and LAMMA of Particles extracted from lung tissue of subjects having different types of cancer. 24th International Congress on Occupational Health. Nice, 1993.
- (30) Case BW. (1994) Biological Indicators of Chrysotile Exposure. In: Gibbs GW, Valic F, Browne, K., Eds. Health risks associated with chrysotile asbestos: a report on a workshop held in Jersey, Channel Islands, 14-17 November 1993. Ann Occup Hyg. 38(4):410-411 (see also discussion by Nicholson W. and Pooley F. p. 411-412).
- (31) Case, Bruce W. Occupational and environmental disease among Québec chrysotile miners, millers and neighbourhood residents: complementarity of epidemiology, pathology and lung retained dose studies. In: Bertazzi P., Ed. Tenth International Symposium *Epidemiology in Occupational Health* (ISEOH); Como, Italy, September, 1994.

- (32) Case BW, Camus M, Siemiatycki J. (1995) Trends in pathologic diagnosis of malignant mesothelioma among Quebec women 1970-1990. *Clin. & Investigative Medicine*, 18(4):B117. Annual Meeting of the Canadian Society for Clinical Investigation and the Royal College of Physicians and Surgeons of Canada, Montreal, Quebec, Canada; September 13-17, 1995.
- (33) Case BW, Camus M, Siemiatycki J. Pathologic trends in mesothelioma: 1970-1990. *Lung Cancer*.
- (34) Bouchelet I., Cohen Z., Case B., Séguéla P. and Hamel E. (1995) Expression of sumatriptan-sensitive serotonin receptors mRNA in human neuronal and vascular tissues. *Neurosci. Abst.* 21(3):1853 (#727.11).
- (35) Bouchelet I., Cohen Z., Case B., Olivier A., Stanimirovic D., and Hamel E. Implication de nouveaux récepteurs de la sérotonine dans la prophylaxie et le traitement en phase aiguë de la migraine. 64e Congrès de l'ACFAS, 13-17 Mai 1996, Montréal.
- (36) Case BW, Churg A, Dufresne A., McDonald JC, McDonald AD, and Sébastien P. Lung Fibre Content for Mesothelioma in the 1891-1920 Birth Cohort of Quebec Chrysotile Workers. Presented at the VIIIth International Symposium on Inhaled Particles, Cambridge University, Cambridge, UK, August, 1996.
- (37) Bouchelet I., Case B., and Hamel E. Expression of mRNA for serotonin (5-HT) receptors in human coronary arteries. Society for Neuroscience, Washington, November 1996.
- (38) Bouchelet, I., Case, B. & Hamel, E.. (1997). Expression of neuropeptide Y (NPY) and muscarinic acetylcholine (mACh) receptor messages in human trigeminal ganglion. Society for Neuroscience Abstracts, 23(1-2), 1491.
- (39) Case BW, Camus M, and Siemiatycki J. Mesothelioma is increased in women in the chrysotile/ tremolite mining regions of Québec. Presented at the International Conference on Respiratory Medicine at the Moscone Center, San Francisco, May 1997; published in the American Review of Critical Care and Respiratory Medicine, April 1997.
- (40) Camus M, Case BW and Siemiatycki J. Risk assessment for women living in chrysotile mining towns. I: Environmental exposure. Fourth International Mesothelioma Conference, Philadelphia (University of Pennsylvania), May 1997.
- (41) Case BW, Camus M, and Siemiatycki J. Risk assessment for women living in chrysotile mining towns. II: Mesothelioma: observed vs. expected. Fourth International Mesothelioma Conference, Philadelphia, May 1997.
- (42) Nayebzadeh, A. Dufresne, A., Case, B., Vali, H., Martin, R.F., Clark J.R., and Williams-

Jones, A.E. Lung fibre burden of two groups of Québec Asbestos miners and millers. 17th general meeting of the International Mineralogical Association, Toronto (Canada), August 9-14 (1998).

(43) Case BW. Pathologic Trends and their effects on mesothelioma diagnosis. Abstract of Presentation at IARC/ WHO workshop on future studies on asbestos-related diseases, Paris, December 4-5, 1997. IARC, Lyon.

(44) Case BW. Nonoccupational exposure to chrysotile asbestos and the risk of lung cancer. *N Engl J Med.* 1998 Oct 1;339(14):1001.

(45) Nayebzadeh A., Case BW, Massé J., Dufresne AD. Mineralogical and Exposure Determinants of Pulmonary Fibrosis among Québec Chrysotile Miners and Millers. *Am J Crit Care Respir Med* April 2000.

(46) Case BW and Dufresne AD. Long (>18 µm) Lung-Retained Fibers in Asbestos-Exposed Men with and Without Lung Cancer. *Am J Crit Care Respir Med* April 2000.

(47) J Siemiatycki, M Camus, M-É Parent, L Richardson, M Désy, and BW Case. Case-control study of pleural mesothelioma among women in Quebec chrysotile mining regions. *Inhaled Particles IX*, British Occupational Society, September 2001.

(48) M Camus, J Siemiatycki, BW Case, M Désy, M-É Parent and L Richardson. Risk of mesothelioma in female residents of chrysotile asbestos mining areas overestimated by the U.S. e.p.a. exposure-risk model. *Inhaled Particles IX*, British Occupational Society, September 2001.

(49) BW Case, A Dufresne, E Bagatin, and VL Capelozzi. Lung-retained fibre content in Brazilian chrysotile workers. *Inhaled Particles IX*, British Occupational Society, September 2001.

(50) JL Abraham, M Hull, and BW Case. Mesothelioma among Workers and in the Vicinity of Asbestiform Fiber-Bearing Talc Mines in New York State. *Inhaled Particles IX*, British Occupational Society, September 2001.

(51) Case BW. Interaction between epidemiological and animal studies and geological exposure assessment: implications for public policy and public health. Paper No. 65-3 in: 2002 Denver Annual Meeting Geological Society of America; Denver, CO; GSA Abstracts Vol. 34, No. 6, September 2002.

(52) Case BW, De Guire L, Camus M, Langlois A, Laplante O, Lebel G, Levesque B, Rioux M, and Siemiatycki J. EPIDEMIOLOGY OF MESOTHELIOMA IN QUEBEC, CANADA: 1982-1997. (2002). VITH meeting of the International Mesothelioma Interest Group (I.M.I.G.). Perth, Australia.

- (53) Case BW. An outbreak of crocidolite-induced environmental mesothelioma in an American county. (2004) VII meeting of the International Mesothelioma Interest Group. Brescia, Italy; page 76.
- (54) De Guire L, Lebel G, Gingras S, Levesque B, Camus M, Provencher S, Case B, Langlois A, Laplante O, Siemiatycki J, Lajoie, P. Epidemiology of asbestos related diseases in Québec, Canada. *Occup Environ Med* 2004; 61:e42. EPICOH 2004, Melbourne.
- (55) Case BW: Emerging trends in asbestos-related mesothelioma. In: Occupational Hygiene 2005. British Occupational Hygiene Society. April 2005.
- (56) Abraham J, Case BW, Burnett B, Trent T. (2005) Lung-Retained Fiber in Pets Confirms Environmental Exposure to Naturally-Ocurring Asbestos in Western El Dorado County, California. *Am J Resp Crit Care Med* 171(S1) A818.
- (57) Rousseau, M.-C., Camus, M., Case, B. & Siemiatycki, J.. (2005). Incidence of pleural mesothelioma among women in Quebec, 1970-1989: A comparison between asbestos mining and non-mining areas. *American Journal of Epidemiology*, 161(11, Suppl. S), S104. [aje-161-supplement\\_1-s104a.pdf \(silverchair.com\)](#) accessed Nov. 29, 2023.
- (58) Case BW, Dufresne A, Sébastien P. (2006) Lung-Retained Asbestos Fibre Analysis: Trends Over 25 Years in One Institution and Their Implications. *Epidemiology* 17(6):S136-S137.
- (59) Case BW. Libby Mesothelioma Update: Occupational and Non-Occupational. (2006) *Lung Cancer* 54(S1): p. S10.
- (60) Pintos J, Parent M-E, Case BW, Rousseau MC, Siemiatycki J. Risk of mesothelioma associated with occupational exposure to asbestos: evidence from two case-control studies in Montreal, Canada. Canadian Society for Epidemiology and Biostatistics Conference, Calgary, Alberta, Canada; May 28-31, 2007.
- (61) Labrèche F, Ostiguy G, Case B, Chalaoui J. (2008) mesothelioma surveillance: validation of diagnoses from a cancer registry. In: EPICOH 2008 abstracts. *Occ Env Med* 65:577-646.
- (62) Case BW, Labrèche F, Ostiguy G, Chalaoui J. (2008) Mesothelioma diagnosis in Québec: Pathology, Epidemiology and Compensation. Ninth International Conference of the International Mesothelioma Interest Group. Amsterdam, September, 2008. Page 117.
- (63) Case BW, Dufresne A, Sébastien P. (2009) A 25 year experience of lung-retained fibre analysis in one institution: time trends and methodological findings. *Inhaled Particles X*, Lee Kenny and Fintan Hurley, eds.; *Journal of Physics: Conference Series* 151: pages 64-65.

doi:10.1088/1742-6596/151/1/011002.

(64) Case BW and Abraham J. (2009) Heterogeneity of exposure and attribution of mesothelioma: Trends and Strategies in Two American Counties. Inhaled Particles X, Lee Kenny and Fintan Hurley, eds.; Journal of Physics: Conference Series 151: pages 21-22.  
doi:10.1088/1742-6596/151/1/011002

(65) Case BW (2012) Case BW (2012) International Mesothelioma Interest Group - Abstract Book - GENERAL SESSION V ASBESTOS AND MESOTHELIOMA. Page 54. September 14, 2012 08:00-09:30 GSV.1: UPDATE ON EPIDEMIOLOGY IN NORTH AMERICA.

(66) Case BW (2012) International Mesothelioma Interest Group - Abstract Book - SESSION VIB2 ASBESTOS EPIDEMIOLOGY: Sept. 14, 2012 15:00-15:50 VIB2.1: Misrepresentation of historical fiber research: An interview-based study for retrospective knowledge translation of epidemiological inquiry. Page 76.

(67) Case BW (2013) Inhaled Particles XI. British Occupational Hygiene Association, September 23, 2013; Nottingham, United Kingdom. Mesothelioma incidence from occupational asbestos exposure in fully developed economies: differences in recent rates and trends and possible explanations.

(68) Case BW. "Mineral fibre deposits in work environments and workers: where and why they differ". Abstract at  
<https://gsa.confex.com/gsa/2014AM/webprogram/Paper247598.html> (accessed Nov. 29<sup>th</sup> of 2023).

(69) Case BW. Can Tumor Morphology and Molecular Pathology Assist in Identifying and Quantifying Risk Parameters In Lung Cancer When There Is More Than One "Exposure"? Society for Risk Analysis. Abstract, 2014.

(70) 2022-07-21: *A Report of the IMA Working Group on Asbestiform Minerals.* , Wylie, A, Andreozzi G, Bailey M, Bandli B, Case B, Della Ventura G, Glossop L, Gualtieri A, Gunter M. Halterman D, Heaney D, Leocat E, Mossman B. OL45\_5; in *New frontiers in the study of hazardous raw and man-processed minerals, characterization and methods for the mitigation of the environmental and health risks.* 23rd International Mineralogical Association General Meeting in Lyon, France. [Interventions\\_abstracts.pdf\(y-congress.com\)](Interventions_abstracts.pdf(y-congress.com)) (accessed August 3<sup>rd</sup> of 2022).